

PRODUCT CATALOGUE

EXPERTSYOU CAN TRUST




CUSTOMISED SIGNS

Our company can produce signage to your exact requirements without lengthy turnaround times. By keeping well-informed and up-to-date with new and forthcoming regulations, we ensure you are getting the right product for your environment.












STOCK SIGNS

Customise these stock signs with your own message or add your company logo!







Please Note: Our signs are robust and made to last when well maintained. Should general wear and tear - or vandalism - make your signage difficult to read, that's the time for replacment.

ADD LAMINATE TO ANY SIGN

Clear protective laminate provides an extra layer of durable protection that will keep your signage looking new and fresh for much longer. Laminate your signs for:

Durability & Longevity: The protective laminate adds durability and prolongs the life of the print, reducing scratches and wear. Your signage will be much easier to clean with a laminated surface.

UV Protection: Your signs will retain their colour and contrast longer with the UV protection provided by laminate. This added layer of defence helps reduce fading caused by the sun.

Minimising Damage: Laminate protects your signs from damage caused by environmental conditions as well. The protective laminate guards your prints against heat, moisture, dirt, and dust.

STARTER PACKS

Safety Genius Starter Packs are bundles of signs designed for cost savings for your particular business.



OFFICE SIGN STARTER PACK

Includes:

1x Assembly Point 240 x 340mm ACM | EM806-S

1x First Aid 240 x 340mm ACM | EM805-S

1x Exit 340 x 200mm ACM | EX701

1x Male 1x Female 1x Disabled 200 x 200mm ACM | GS1209, GS1208,

1 x Reception 400 x 100mm ACM | GS1218















FARM SIGN STARTER PACK

Includes:

1x Hazchem Diesel Tank 680 x 620mm SA | HA950

1x Warning Multiple Hazard Area Hazchem 450 x 450mm ACM | WSHC

 $3 \times Fuel ID Tags - 1 \times Unleaded, 1 \times 2-Stroke, 1 \times Diesel ACM | FTU, FT2S, FTD$ 1x First Aid 240 x 340mm ACM | EM805-S

1 x Multiple Hazard Area Health & Safety Act 2015 240 x 340mm ACM | MS601-S

WORKSHOP SIGN PACK



















WORKSHOP SIGN STARTER PACK

1x Assembly Point 240 x 340mm ACM | EM806-S

1x First Aid 240 x 340mm ACM | EM805-S

1x Exit 340 x 200mm ACM | EX701

1 x Male 1x Female 1x Disabled 200 x 200mm ACM | GS1208, GS1209, GS1210

1x Reception 400 x 100mm ACM | GS1218

1x Fire Extinguisher 240 x 340mm ACM | FS902-S

1 x Multiple Hazard Area Health & Safety Act 2015 240 x 340mm ACM | MS601-S

1x No Entry Authorised Personnel Only 240 x 340mm ACM | PS302-S

FIRST AID SIGN PACK











FIRST AID SIGN STARTER PACK

1x First Aid 240 x 340mm ACM | EM802-S

 $1 \times CPR$ Instructions $300 \times 450 mm$ ACM | CPR100-M

1x Emergency Eye Wash 240 x 340mm ACM | EM808-S

1 x First Aid Fire Extinguisher Inside 200 x 100mm SA | FAFE-SA

CONSTRUCTION SIGN PACK



CONSTRUCTION SIGN STARTER PACK

1x First Aid 340 x 240mm ACM | EM802-S

1x Multiple Hazard Area Health & Safety Act 2015 240 x 340mm ACM | MS601-S

1x PPE Must be worn at all times 450 x 300mm ACM | MS635-M

1x Danger Keep Out Construction Site 450 x 300mm CF | CS1303-M

1x On Site Hazard ID Board 480 x 600 ACM | HIB1001-L

1x Danger Construction Multi Hazard Sign 600 x 900 CF | DCS2001

HAZCHEM SIGNS

A substance is hazardous if it exceeds the threshold for one or more hazardous properties. Most hazardous substances will have more than one hazardous property; for example, petrol is flammable, toxic and ecotoxic. Each of the seven listed properties below has different levels of hazard – from the least to the most hazardous. In New Zealand, the Hazardous Substances and New Organisms Act (HSNO Act) provides controls for all the hazardous properties of a substance.



Transporters, handlers, manufacturers or storers of dangerous goods



NZS 5433: 1999 Transport of dangerous goods on land

THE HAZARDOUS PROPERTIES ARE:

EXPLOSIVE		FLAMMABLE		OXIDIZING	TOXIC	RADIOACTIVE	CORROSIVE	ECOTOXIC
Class 1	Class 2	Class 3	Class 4	Class 5	Class 6	Class 7	Class 8	Class 9
1.4 EXPLUSANT 1.5 1.5 1.6 DPJ 25ME	TS113 VINTUMULEE CAS TS120 TS127	PANHABARA LIQUID	TS121 TS121 TS128 TS128	OCCUPATION AGENT TS 117 OCCANCE PERCUTATE TS 124 TS 131	TOURC TS118 INTICTIONS GREETANCE TS122	ENGIOACTIVE TE 138	TSLQ	TS122 HEICHLAREOUS GOOS TS130 SUNCESSUS 500005

HAZCHEM SIGNS



GHS – GLOBALLY HARMONISED SYSTEM







SIZE MM SA ACM

50 x 50
24 per sheet

100 x 100
pkt of 10

250 x 250

295 x 295

400 x 400

HAZCHEM SIGNS

Each of us has a responsibility to help safeguard people and protect the environment, particularly when hazardous substances and dangerous goods are involved. People handling hazardous substances, including chemicals in the workplace, need immediate access to critical information such as:

- What hazardous substances are present.
- The nature and extent of the hazard presented by the substance.

• Any necessary precautions to use the substances safely and avoid any adverse environmental effects, and action required in an emergency.

Simple requirements such as product labels, workplace and transport documentation and warning signage are essential aids to recognise hazards quickly and accurately manage associated risk.

Source: Signage for Premises Storing Hazardous Substances & Dangerous Goods - New Zealand Industry Council Inc.



TS152

600 x 150 ACM | SA



TS153

600 x 150 ACM | SA



TS154

600 x 150 ACM | SA



FS140 400 x 600 ACM | SA



FS170

600 x 480 ACM | SA

TRANSPORTING DIESEL AND OTHER ENVIRONMENTALLY HAZARDOUS SUBSTANCES (UN 3077 AND UN 3082).



UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S (DIESEL)







TS201

TS200

100 x 100 diamonds Overall label size 300 x 200

For containers over

5 litres up to 25 litres



TS125



TS111

For Tank Wagons, Tank Trailers and containers over 450 litres 250 x 250 diamonds **Emergency Information Panel** 297 x 420 (S) or 400 x 600 (L) SA | ACM



TS107

Sizes start from 600 x 400 1-6 DG labels available on ACM | SA



TS177

Sizes start from 600 x 400 1-4 DG labels available on ACM | SA

SITE ENTRANCE HAZCHEM SIGNS

Entrance signs are required on the main entrance to the property. This may also include transition areas within the site that are not direct entrances to the storage area. An entrance Hazchem sign will include the following information:

- All Dangerous goods diamonds 100 x 100mm related to product stored on site
- · Emergency contact information




TS150

Sizes start from 800 x 900 1DG labels available on ACM | SA

BULK STORAGE AREAS

Where there is bulk storage of hazardous chemicals, a Hazchem sign is needed. The requirement for bulk storage signage is determined by the quantities outlined in the HSNO approved Code of Practice. A Bulk Storage Hazchem sign includes the following information:

- The word HAZCHEM at 100mm high on a Orange background
- The 250mm dangerous goods diamond relative to the product being stored
- Precautionary information (i.e No Smoking, No Naked Flames)
- The Hazchem Code 100mm high
- · The UN No. and the name of the product
- On site emergency contact information



TS151

Sizes start from 480 x 600 3 DG labels available on ACM | SA

MIXED STORAGE HAZCHEM SIGNS

For storage areas that have more than one hazardous substance stored. A Mixed Storage Hazchem sign will include the following information:

- All Dangerous goods diamonds 100 x 100mm related to product stored on site
- Precautionary information (i.e No Smoking, No Naked Flames)
- Emergency contact information



Safety Data Sheet Document Holder

- Safety Data Sheet holder holds A4 sheets.
- Constructed from high quality polyethylene - resistant to corrosion, no risk of rust, and also weatherproof.
- Approx. measurements (mm) 308 x 230 x 45 (H x W x D)
- · Attach this to your Dangerous Goods Cabinet or to the outside of your building so all your Hazardous Substance Data Sheets are readily available.



NO PARKING

WITHIN

5

METRES

MANDATORY SIGNS



A blue circle with white symbols denoting a sign that indicates a specific course of action must be taken









MS603



MS601

MS602

MS604



PROTECTION

MUST BE WORN

MS605

SAFETY HELMET MUST BE WORN

MS606













MS607

MS608

MS609

MS610









MS613



MS614





MS615

MS616



MS617



MS618





MS619

MS620







MS635

MS633

MS634

Icons can be customised



MS650





MS651

MS652

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•
480 x 600		•

MANDATORY SIGNS



MS621



MS622





MS623



MS624



HAND

PROTECTION

MUST BE WORN

IN THIS AREA

EYE AND HEARING

PROTECTION

MUST BE WORN IN THIS AREA









MS625 MS626







MS632

MS629

MS630







MS640 MS641



PLEASE SIGNS



PL800

PLEASE

KEEP ALL

AISLES CLEAR

PL804



PL805

PLEASE

RETURN TOOLS

TO WHERE YOU

FOUND THEM

PL801





PL809

PLEASE REMOVE DIRTY



PL802



PL806



PL810

	PLEASE
l	WASH YOUR

HANDS PL803



PL807



PL811

SIZE MM	SA	ACM
330 x 145	•	
450 x 200		•

SIZE MM	SA	ACM
250 x 170	•	
340 × 240		•
450 x 300		•
600 x 480		•

NOTICE SIGNS

NOTICE

YOUR OWN MESSAGE HERE

NS500

NOTICE

ALL VISITORS MUST REPORT TO SITE OFFICE UPON ARRIVAL

NS501

NOTICE

ALL TOOLS MUST BE RETURNED AFTER USE

NS502

NOTICE

ALL ACCIDENTS MUST BE REPORTED

NS503

NOTICE

NO EATING OR DRINKING IN THIS AREA

NS504

NOTICE

THESE DOORS MUST BE KEPT CLOSED

NS505

NOTICE

NO ENTRY
UNLESS ACCOMPANIED
BY A STAFF MEMBER

NS506

NOTICE

KEEP CLEAR AT ALL TIMES

NS507

NOTICE

AUTHORISED PERSONNEL ONLY

NS508

NOTICE

NO VEHICLES BEYOND THIS POINT

NS509

NOTICE

NO ADMITTANCE NOTICE

ALL VISITORS MUST REGISTER AT OFFICE NOTICE

PARKING ON SITE AT YOUR OWN RISK NOTICE

PRIVATE PROPERTY

NOTICE

NO ENTRY

NS510

NS511

NS512

NS513

NS514

NOTICE

THIS GATE MUST BE KEPT CLOSED NOTICE

ALL VISITORS MUST REPORT TO RECEPTION UPON ARRIVAL NOTICE

THIS AREA MUST BE KEPT CLEAN & TIDY AT ALL TIMES NOTICE

IF DESK IS UNATTENDED RING BELL NOTICE

TRAINED PERSONNEL ONLY TO USE EQUIPMENT IN THIS VICINITY

NS515

NS520

NS521

NS


NS522

NS523

Customise your own multiple warning sign with symbols / images and text to suit your specific requirements


SIZE MM	SA	ACM
250 x 170	•	
340 x 240		•
450 x 300		•
600 x 480		•

INSERT YOUR CHOSEN IMAGES HERE





WARNING SIGNS





SIZE MM	SA	ACM
330 x 145	•	
450 × 200		•







WS221









WS225

de HAND

HAZARD

WS226













MIND THE STEP

WS233









WS237



WS300

170 x 250 240 x 340 300 x 450 480×600















WS1037	

SIZE MM	SA	ACM
100 x 150	•	

PROHIBITION SIGNS



PS300

NOT

PS301

DRINKING WATER

NO ENTRY AUTHORISED PERSONNEL ONLY



CYCLING



PS303

PS304



PS305



PS306



ANIMALS PROHIBITED

PS302



PS308





PS309

PS307



AND SMOKING PROHIBITED PS310





PS311





PS312







PS313

PS314

NO LIGHTERS

OR MATCHES

BEYOND THIS POINT



PS327

SIZE MM



PS328

ACM











PS346



NO VAPING BEYOND THIS POINT









PS317







obstacles or areas where restrictions or hazards are in place.

Prohibited signs definition

Danger and Prohibition Signs

in red alert users to nearby

SIZE MM

330 x 145

450 x 200



PS321



PS322





PS325





PS331



PS332

SIZE MM	SA	ACM
200 x 200	•	•

SA

ACM



PS330





PS326 Card of 4 labels 40 x 50 | SA



PS340 Folded PVC 100 × 100

 170×250 240 x 340 • 300 x 450 480 x 600

SA

PS348

PS349

DANGER SIGNS



DS400



DS404



DS408



DS412



DS416



SIZE MM SA ACM 250 x 170 340×240 • 450 x 300 600 x 480



DS401

DANGER

DO NOT OPERATE

WITHOUT

GUARDS IN PLACE

DS405

DANGER

ENTRY OF

UNAUTHORISED

PERSONS PROHIBITED

DS409

DANGER

OPEN PIT

DS413



DANGER

NO ENTRY

DS402

DS406



DS410



DS414



DS418



DS420



DS403



DS407



DS411



DS415



DS419



FS923 120 x 135 | SA | ACM

FIRE SIGNS







FIRE

FIGHTING

EQUIPMENT

FS908







SA

ACM

FS901

FS902

ତ

FIRE

HOSE

FS909

FIRE

HYDRANT

FS911

FIRE DOOR

KEEP CLOSED

FS914

FIRE DOOR

DO NOT BLOCK

FS916

FS905

FS910

FIRE HOSE

REEL

FS912

FIRE

EXTINGUISHER

FS915

FIRE

ALARM

FS917

FS906

SIZE MM

170 x 250

240 x 340

300 x 450

480 x 600

SIZE MM

330 x 145

450 x 200

FIRE DOOR

EMERGENCY ONLY

FS913

FIRE **HYDRANT**

EXT960 EXT961





120 x 170 | SA | ACM

These Fire Alarm Signs may

need a 1 or 9 before "111" depending on the buildings

phone system. Talk to our

team about your specific requirements.

> FIRE ALARM

TO OPERATE

FS922



DS175



FS907

ARM BANDS

FIRE

WARDEN FWAB YELLOW

WARDEN

FWAB ORANGE

100 x 400 Lum SA | ACM



200 x 200 | SA | ACM



SMOKE CONTROL DOOF PLEASE KEEP CLOSED




FWV 100



FIRE DOOR







SA

ACM



EXT950









FILE		
THE STATE OF THE S	SIZE MM	
MATERIA SICHOLOGICAL	200 x 400	
XT954	300 x 600	

SIZE MM	SA	ACM
200 × 400	•	•
300 x 600	•	•

EMERGENCY SIGNS



EX701 340×200

SA | ACM



EX703 EX705 250 x 170 | SA 340×200 SA | ACM 450 x 300 | ACM



240 x 100 | SA | ACM



300 x 100 | SA | ACM





EX709 450 X 200 | SA | ACM



EX710 330 x 145 | SA 450 x 200 | ACM



EX711 (L OR R) 330 x 145 | SA 450 x 200 | ACM



EX712 450 x 200 SA | ACM



EX713 330 x 145 | SA 450 x 200 | ACM



EX716 (L OR R) 330 x 145 | SA 450 x 200 | ACM



EX714 (L OR R) 330 x 145 | SA 450 x 200 | ACM



EX720 100 x 50 | SA | ACM



EMERGENCY



250 x 100 | SA | ACM



200 x 200 | SA | ACM



EM890 100 x 100 | SA



200 x 200 | SA | ACM

EM891 100 x 100 | SA



EX706 100 x 100 | SA | ACM



200 x 200 | SA | ACM

FIRE

INSIDE



FAFE 200 x 100 | SA



300 x 450 | ACM 480 x 600 | ACM



EM809 240 x 300 | SA | ACM



EM810 240 x 300 | SA | ACM



EM888



FIRST AID

EM802



EM803

IN AN EMERGENCY DIAL 111

FIRST

AID

EM805

EM801









EM811

EM804



EM812











SIZE MM SA ACM 170×250 240 x 340 300 x 450 • 480 × 600

SPILL KIT





LUME1703L

 300×200 ACM



GLOW IN THE DARK



LUME1704 150 x 150 ACM







LUME1702 240 x 150 | ACM 300 x 200 | ACM



LUME1705L 240 x 150 | ACM 300 x 200 | ACM



LUME1705R 240 x 150 | ACM 300 x 200 | ACM



ELECTRICAL SIGNS





ES1002







SIZE MM

250 x 170

340 x 240

450 x 300

600 x 480

ELECTRICAL EQUIPMENT AUTHORISED PERSONNEL ONLY

ES1003

ES1004

Ε	S1	0	10

SA

ACM

HIGH VOLTAGE KEEP OUT	AUTHORISED PERSONNEL ONLY





ES1005 330 x 145 | SA 450 x 200 | ACM










DANGER LIVE

CABLE BURIED HERE



ES1023

200 x 80 | SA | ACM





ES1025 DS

65 x 200 | PVC

Double sided pack of 50 tags giving you the option of a portrait or landscape message. Easy to fix in place with multiple pre-drilled holes.



FL1511

ES1030 50 x 50 | 100 x 100 200 x 200 | SA | ACM



WS1031 100 x 150 | SA



ES1007

RISK OF ELECTRIC SHOCK

WS229

WARNING

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•
480 x 600		•

PADLOCKS

Portable Padlock Lockout Station (12 holes) PPLS – 12



 Made from engineering plastic this sturdy unit can carry up to 12 padlocks Safety Padlock 38mm Hasp SKU: SPL 38



- A 38mm high, 6mm wide steel hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock
- This padlock will tolerate temperatures from -57° to +177°

Safety Padlock 38mm Dielectric Hasp SKU: SPLD 38



- A 38mm high, 6mm wide nylon hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock
- This padlock will tolerate temperatures from -57° to +177°

Lockout Hasp 25mm LOH25

HASPS



- Galvanised Steel Hasp with Nylon PA coated handle
- The Hasp's internal diameter is 25mm, and its 6 lockout holes are 10mm in diameter

Lockout Hasp 38mm LOH38



- Galvanised Steel Hasp with Nylon PA coated handle
- The Hasp's internal diameter is 38mm, and its 6 lockout holes are 10mm in diameter

 The Hasp's internal diameter is

 The Hasp's internal diameter is the Hasp's internal

Lockout Hasp Long 43 x 173 LOHL – K42



 Push design Nylon lockout hasp with 9mm diameter holes for padlocks

Safety Padlock 38mm Thin Shackle SKU: SPLT 38



- A 38mm high, 4mm wide steel THIN hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock
- This padlock will tolerate temperatures from -57° to +177°

Safety Padlock Dust Proof SKU: SPLDP 38



- A 38mm high, 6mm wide steel hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock.
- This padlock will tolerate temperatures from -57° to +177°
- Plus dust proof rubber sleeves at the bottom of the hasp and a dust proof cover over the key hole

Safety Padlock 76mm Long Shackle SKU: SPL 76



- A 76mm high, 4mm wide steel LONG hasp (shackle)
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock.
- This padlock will tolerate temperatures from -57° to +177°

Snap On Lockout Hasp II Red SOLH – RED



- Aluminium snap on lockout, for up to 5 padlocks
- Lightweight but sturdy
- Internal height of the Hasp's main loop is 55mm

Lockout Hasp 25mm LOH6Y – K51



- Aluminium lockout hasp, for up to 6 padlocks
- Lightweight but sturdy
- Internal height of the Hasp's main loop is 33mm

CODE = SKU + COLOUR + either KD (Keyed Differently) OR KA (Keyed Alike) e.g. CODE = SPL 38 YELLOW KD

ELECTRICAL LOCKOUT

Miniature Circuit Breaker Yellow 10mm wide MCB – Y 45X25



- Reinforced Nylon PA
- Easy to lock with a screwdriver
- Accommodates one safety padlock

Miniature Circuit Breaker Blue 23mm wide MCB – Y 51X25



- Reinforced Nylon PA
- Easy to lock with a screwdriver
- Accommodates one safety padlock

Medium Circuit Breaker Yellow MCB – Y 125X63



- Reinforced Nylon PA
- Easy to lock with a screwdriver
- Accommodates one safety padlock

Miniature Circuit Breaker Pin Out MCBPO – D01



- Made from Nylon PA
- Pin OUT for hole spacing up to 12mm

Miniature Circuit Breaker Pin In MCBPI – D02



- Made from Nylon PA
- Pin IN for hole spacing up to 12mm

Switch Lockout Case 50 x 47 SWLOC



- High strength transparent resin case, to prevent access to buttons
- Inner diameter of hole in red base is 22mm

Electrical Plug Lockout EPL



- Made from PP Engineering Plastic
- Will accommodate 2 padlocks for safe lockout
- Available in 3 sizes to suit:
 13mm cable | EPL 13
 20mm cable | EPL 20
 25mm cable | EPL 25

Circuit Breaker for up to 12mm switch



- Die-cast aluminium with plastic coating
- Accommodates a 12mm thick switch, and 1 padlock for safe lockout

Basic Lockout Kit



- Handy carry pouch
- 5 hardwearing lockout tags
- 2 x yellow MCB 10mm wide
- 1 x blue MCB 23mm wide
- 1x 38mm Safety Padlock steel hasp
- 1 x 38mm Safety Padlock
 dielectric hasp
- 1x Plastic Lockout Hasp Long

SERVICING YOUR SAFETY NEEDS

At Safety Genius, we provide health and safety signage and solutions to support a range of industries:



Electrical

We provide for all electrical signage and solutions to ensure maintenance and repair can be undertaken safely.



Manufacturing

Our range of signage helps to ensure workplace health and safety standards are met and staff can work in a safe environment.



Roading

Visibility is essential in the roading industry, for staff and vehicles. Our range of signage ensures your brand won't be missed.



Construction

Keeping construction sites safe and secure requires a range of effective signage solutions. At Safety Genius we have them all.

Check out our full range online **safetygenius**.co.nz

LOCKOUT TAGS

DANGER (White) Do Not Operate

– Tags Pkt 25
ES1051 SYNTHETIC 80X145



• Hardwearing write-on tags

DANGER (White) Do Not Operate

– Tags Pkt 25
ES1060 SYNTHETIC 80X145



• Hardwearing write-on tags

DANGER (Red/White) Locked Out – Tag Pkt 25 ES1061 SYNTHETIC 80X145



Hardwearing write-on tags

WARNING Out Of Service

– Tags Pkt 2
ES1053 SYNTHETIC 80X145



- Hardwearing write-on tags
- Double sided same on both sides

WARNING – Blank Tags Custom Printed – Pkt 25 ES1057 SYNTHETIC 80X145



- Hardwearing write-on tags
- Double sided same on both sides
- We can custom print your message on these tags

OUT OF SERVICE Do Not Operate (yellow / black chevron) – Tags Pkt 25 ES1070 SYNTHETIC 80X145



• Hardwearing write-on tags

LOCKOUT STATIONS

Lockout Station 4 LOS4



- Available with or without components
- LOS4C | With components
 4 SPL 38 RED padlocks
 2 x 25mm hasps
 25 lockout tags

Lockout Station 10 LOS10



- Available with or without components
- LOS10C | With components
 10 SPL 38 RED padlocks
 4 x 25mm hasps
 50 lockout tags

Lockout Station 20 LOS20



- Available with or without components
- LOS20C | With components 20 SPL 38 – RED padlocks 6 x 25mm hasps 100 lockout tags

Lockout Box Red 230 x 150 x 95 LOBR



- A portable lockbox to secure keys while equipment is being worked on. Each authorised employee places a personal lock onto the box, removing them only when repairs are complete.
- Accommodates up to 12 padlocks for extra safety.
- Padlocks sold separately

Lockout Box Red Large Vertical 163 x 350 x 95 LOBR – LV



- A large portable lockbox to secure keys while equipment is being worked on. Each authorised employee places a personal lock onto the box, removing them only when repairs are complete.
- Padlocks, Hasps etc sold separately

Steel Case Lockout Station 30 – board only 580 x 30 x 90 LOS30 – STEEL CASE



- Steel Case with transparent and lockable front lid
- LOS30C STEEL CASE | With components

GATE VALVE & CABLE LOCKOUTS

Gate Valve Lockout





5 diameter sizes available:
 25 – 64mm | GVL 25 – 64MM
 64 – 127mm | GVL 64 – 127MM
 127 – 165mm | GVL 127 – 165MM
 165 – 254mm | GVL 165 – 254MM
 254 – 330mm | GVL 254 – 330MM

Adjustable Cable Lockout 6mm, 1.8m ACL – 6MM (1.8M)



- 1.8m long, 6mm thick cable lockout
- Accommodates up to 4 padlocks

Fuel Tags FT2S | 2 STROKE

FTU | UNLEADED FTD | DIESEL



- Fuel tags can be removed and re-attached as required with a simple locking feature, and includes the appropriate Hazchem label on the back of the tag.
- Sold as a packet of 10

Plastic Lead Hook PLHY



- Hardwearing plastic hooks to keep your cables off the ground
 preventing slips and trips!
- Sold as a packet of 10

Pneumatic Lockout Scissor Action PNL – SA



 Applied to pneumatic fittings to prevent reconnection to any source of pressure e.g. air compressors.

PVC TAGS

Double sided PVC tags ES1025 – DS



• Double sided pack of 50 tags giving you the option of a portrait or landscape message. Easy to fix in place with multiple pre-drilled holes.



Safety Data Sheet Document Holder SDS – DH



- Constructed from high quality polyethylene – resistant to corrosion, no risk of rust and also weatherproof
- Approx. measurements (mm) 308H x 230W x 45D – holds A4 sheets

Wall Mounted Red / White Retractable Belt WMRWB – 3 or 5 or 10 (length)



- A retractable belt house in a plastic case. Comes with receiver for connecting to the wall opposite the housing
- Available in 3 lengths: 3m, 5m, 10m

BUILDING SIGNS



GS1201

TOILET

GS1210

GS1250

GS1211







GS1234















SIZE MM SA ACM 200×200



GS1235





GS1300

PUSH PULL

110 x 45 | SA 110 x 45 | SA





450 x 200 | SA | ACM

GS1205

GS1212











GS1251





240 x 100 | SA | ACM









RECEPTION

GS1218

MANAGER



GS1219

400 x 100 | SA | ACM

ENQUIRIES

GS1220

450 x 200 | SA | ACM



GS1221

RESERVED PARKING



TR1112

CUSTOMER

PARKING

TR1121

INWARDS

GOODS

TR1125





TR1113

VISITOR

PARKING

TR1122





NOTE: * Available with both left and

right arrows

** Can customise

speeds

with different

GS1222

44

SUPERVISOR GS1223

CLEANING CUPBOARD

PRIVATE

GS1225

PLEASE ENTER

PLEASE RING

RESERVED

GS1228

GS1224

REST ROOMS

GS1229

GS1226

GS1227

GENTLEMEN

GS1230

LADIES

GS1231

ACM SIZE MM SA 400 x 100

INWARDS GOODS

GS1232

OUTWARDS GOODS GS1233

TR1114

TR1111

PRIVATE

PROPERTY



TR1123*

OUTWARDS GOODS

TR1126

DRIVER

TR1130

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•
480 × 600		•

TRAFFIC SIGNS

NO PARKING PRIVATE PROPERTY

TR1101

STAFF

PARKING

TR1106

10

SPEED

LIMIT

TR1104**

PARKING TOW AWAY ZONE

TR1107

ONE

WAY

TR1105*

NO

TR1102

NO VEHICLES BEYOND THIS POINT

KEEP

CLEAR

AT ALL

TIMES

TR1103

TR1108*

EXIT

TR1110*

TR1116

PARKING

AT ALL TIMES

TR1109

WATCH

OUT FOR

CHILDREN

TR1117



TR1150

VISITOR

PARKING

TR1115

SLOW

CHILDREN

TR1124

NIGHT

TR1151

05

TR1119*

SPEED

HUMP

AHEAD

TR1118

TRANSPORT SIGNS


An over dimension vehicle over 3.1 metres wide and escorted by a pilot vehicle must display an OVERSIZE sign.

OVERSIZE SIGNS MUST:

- Comply with the illustrated dimensions
- Be mounted at the front and rear of the over dimension vehicle, so that the sign can be seen clearly by approaching drivers.

THE SIGN MAY BE SPLIT INTO TWO PARTS, AS LONG AS:

- The word OVER and the word SIZE are on separate parts
- Both parts of the sign are mounted at the same height
- The combined length of the parts is at least 1100mm.







Each panel 550 x 300 | ACM



Dangerous goods document satchel



TS605

DURING DAYLIGHT HOURS. THE SIGN MUST:

· Have matt black lettering on a yellow green background with a matt black border (unless the retro-reflective version below is used)

DURING NIGHTIME HOURS, THE SIGN MUST:

- Consist of retro-reflective material with black lettering on a yellow green background
- Comply with AS/NZ 1906.1.1993 Retro-reflective materials and devices for road traffic control purposes, Part 1: Retro-reflective materials

You can't display an OVERSIZE sign on a vehicle unless you're required to by the Vehicle Dimensions and Mass Rule.





TS102



TS103



TS104

TRANSPORT SAFETY SIGNS

1100 x 520 | AL Single/Double sided

TS105 can be put on reverse of TS101, TS102, TS103 and TS104

Transport safety signs can be available in reflective material for day/night use. The signs can also be available for day use only.

Night/Day

- diamond grade reflective

– yellow fluro

ORDER OF DISPLAY OF PILOT SIGNS FOR VARIOUS SIZE LOADS

	WIDTH LESS THAN 3.1M	WIDTH GREATER THAN 3.1M AND UP TO INCLUDING 5M
First Pilot	Long Load Follows	Wide Load Follows
Second Pilot (if required)	Long Load Follows	Wide Load Follows
Over dimension load		
Rear Pilot	Long Load Ahead	Wide Load Ahead

HAZARD WARNING MARKINGS AND SIGNS

Fluorescent yellow flags (at least 400mm long and 300mm wide) must be attached to indicate the:

- · Excess width of a vehicle or load at its front and rear
- The front of the load (if it has excess front overhang)
- The rear of the load (if it has excess rear overhang)
- The rear of the load (if it has excess length).

You may use retro-reflective hazard panels coloured yellow-green with an orange diagonal stripe instead of flags.

If you're travelling during the hours of darkness, the flags must be replaced with retro-reflective yellow-green hazard panels with an orange diagonal stripe.

THE PANELS MUST:

- Comply with AS/NZ 1906.1.1993 Retro reflective materials and devices for road traffic control purposes, Part 1: Retro reflective materials
- · Consist of retro-reflective material coloured yellow-green with a 200mm-wide diagonal orange stripe.



HAZARD WARNING PANELS MUST BE ATTACHED TO INDICATE THE:

Fluorescent yellow flags (at least 400mm long and 300mm wide) must be attached to indicate the:

- Excess width on each side of an over width load or vehicle at its front and rear
- · Front of a load with excess front overhang
- · Rear of a load with excess rear overhang
- Rear of a load for excess length.

THE PANELS MUST:

- Comply with AS/NZ 1906.1.1993 Retro-reflective materials and devices for road traffic control purposes, Part 1: Retro-reflective
- Consist of retro-reflective material with a 200mm wide chevron pattern with alternate yellow-green and orange retro-reflective sheeting
- Have the illustrated dimensions and orientation
- · Be frangible.

You can't display a hazard warning panel on a vehicle unless you're required to by the Vehicle Dimensions and Mass Rule.




350 x 300 | 406 x 356 | SA | ACM



TS109

400 x 400 | SA | ACM



TS205 200 x 200 | SA

While operating under the terms of a HPMVz permit, the vehicle must display a retro-reflective 'H' sign to the front and rear that complies with AS/NZS 1906.1.2007 – Retro-reflective materials and devices for road traffic control purposes, Part 1: Retro-reflective materials.

On a standard motor vehicle, if the vehicle load is reduced below 44,000kg then the sign does not need to be removed, but may be. On an over-length vehicle the sign must remain in place at all times. A vehicle that does not have an HPMV permit is not allowed to display this sign.

REFLECTIVE FLAGS

We make these to order. Almost any size and/or text is possible. Get in touch to discuss.

TRANSPORT SIGNS

MULTI-HAZCHEM FLIP SIGNS DG FLIP

48

- Size: Backing Plate size 350 x 350
- Our multi-HAZCHEM flip signs hold a comprehensive range of dangerous goods placards for ease of use.

We can custom print the centre page with your own company logo – please get in touch to discuss.



CONSPICUITY TAPE / REFLECTIVE-TAPE CST

- Sold per roll
- 50mm wide, 45 metre roll





REFLECTIVE ROAD SIGNS







Different speeds available







NO ENTRY RG9



SIZE MM	ACM
400 Diameter	•
600 Diameter	•
750 Diameter	•





600 x 250 | ACM 750 x 300 | ACM

Available left and right













RCS2 200 x 300 | PVC

Sign graphics for traffic cone products can be made to your requirements.





49

TELL US WHAT TO PRINT HERE

CONSTRUCTION SIGNS

Construction sites can pose a variety of hazards to people in the vicinity of the work. Local authorities, construction companies and workers all have a part to play in ensuring the public are not endangered by construction work.

Employers have a legal responsibility to ensure that nothing they or their workers do will endanger members of the public by any action.

This means they should take steps to ensure that:

- Pedestrian detours are clearly defined, and pedestrians protected from the dangers of road traffic when using any detour.
- The passage of vehicles across footpaths is to be supervised, to remove danger to the public. Flagmen, barriers, signs or traffic lights are used to stop the public passing under suspended loads (unless there is a protective gantry).

- Excavations are fenced, and, if they are likely to retain water, are covered and securely fenced to prevent access for children.
- If in public places, they should have warning signs, and warning lights at night.
- Pneumatic tools are to have silencers, and piling dollies are to be of timber or neoprene so that noise is kept to acceptable levels.
- If scaffolding must intrude on to footpaths, it is to be clearly marked, and padded if there is any risk of causing injury. Adequate security of the site is to be provided during non-working periods. This involves ensuring excavations and openings are covered or fenced, materials are stacked safely, plant immobilised, and ladders removed or lowered to the ground.

Source: Guidelines For The Provision Of Facilities And General Safety In The Construction Industry.



CS1321

1220 x 800 | ACM



HIB1001

480 x 600 | ACM



480 x 600 | ACM





CS1322

600 x 1220 | ACM

OF THE HAZARDS WITHIN



CS1302

DANGER

WORKERS

ABOVE



CS1303

DANGER

DEMOLITION


WORKS IN



DANGER



CS1307



CS1308





DCS2001



DCS2002



option of having a l	logo added.		
-1			
	SIZE MM	CF	ACM
	SIZE IVIIVI	Ci	7 (CIVI

600 x 900

600 x 800

CSHIB



CSSF

480 x 600 | ACM



CS1325

200 x 100 | SA

SITE SIGNS



CS1324

400 x 600 | ACM

Site hazard boards and staff indicator boards can be made to specific requirements. For example: Metal – so magnets can be used/moved. ACM - with a white board laminate for writing/ updating messages with a whiteboard marker.

This Working Site sign has the

HAZARD IDENTIFICATION BOARD	
LOCATION	HAZARD

CS1323 800 x 600 | ACM

FARMING SIGNS

The farming industry has numerous health and safety requirements. Farmers must have a good knowledge of the following to ensure they are complying with current legislative requirements.

- · Agri-chemicals
- Animal Handling
- Cleanliness
- Construction
- Electrical
- Engineering
- Fencing & Excavation
- Forestry
- Health Monitoring
- Manual Handling
- Noise
- Occupational Diseases
- Operating Heavy Equipment
- Recreational Visitors
- Silos, Bins and Tanks
- Solar Ultraviolet Radiation
- Woolshed Safety
- Workshop Safety
- Working at Heights
- Work-related visits to private land

(Note: This list is not exhaustive)





MS601

FM1403

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•
480 × 600		•



FM1408 250 x 170 | SA 450 x 300 | 600 x 480 | ACM



FM1406

600 x 600 | 750 x 750 – hinged at your request



GROUND SPIKE SIGN FM299

Sign frame holds 450 x 300mm corflute sign. Single/double sided. "Warning" sign is shown as an example. Ask us about your site specific signage requirements.



WS252

SIZE MM	SA	ACM
250 x 170	•	
340 x 240		•
450 x 300		•
600 x 480		•



FM1409



FM1410



FM1411

ORCHARD SPRAYII	NG
VIII occur on this property on:	
t will be safe to re-enter on;	
roduct used:	
pplicator:	

FM1412

SIZE MM	ACM
450 x 300	•
600 x 480	•



FM1405 250 x 130 | ACM

SECURITY & SAFETY FIRST SIGNS



BWS1650







BWS1653





BWS1651

BWS1652

BWS1655

SIZE MM	SA	ACM
170 x 250	•	
240 x 340		•
300 x 450		•
480 x 600		•



GUARD DOGS

RUNNING FREE

ON PROPERTY

BWS1603











SECURITY CAMERAS

OPERATING



WILL BE

SIZE MM	SA	ACM
250 ×170	•	
340 x 240		•
450 x 300		•
600 x 480		•

BWS1606

SAFETY

YOUR OWN

MESSAGE HERE

SF1680

SF1685

TRESPASSERS

WILL BE

PROSECUTED

BWS1607

SAFETY

ALL ACCIDENTS

MUST BE REPORTED

NO MATTER HOW SMALL

SF1681

MONITORED

AT ALL TIMES

BWS1604

SECURITY ALARM

WILL SOUND IF

DOOR IS OPENED







SF1684

53

SAFETY DONT TAKE RISKS

FIRST **KEEP YOUR** WORKPLACE SAFE SF1686

SAFETY KEEP THIS **WORK AREA CLEAN** & TIDY AT ALL TIMES SF1687

SF1682



SF1683

SF1688

FREESTANDING SIGNS


THE BRANDMASTER ALL TERRAIN DISPLAYS

Flexible: For quick message exchange simply slide the old sign out and the new one in.

Robust: Constructed from ultra strong UV stabilised HIPS. Designer frames eliminate sign droop and distortion.

Stable: With water fillable bases holding 11kgs or 200mm spikes, these displays aren't going anywhere! Safer for high traffic areas with lightweight construction, compact profiles and minimal floor space footprint.

Product Specifications:



Freestanding water fillable base up to 11.5kg.

Principal product materials UV stabilised, high impact HIPS.



SIDEWALK | FOOTPATH SIGNS

Does not distort or breakdown. Colour stable even in high UV areas.

Standard panel size of $800\,x\,600mm$ (larger base can be partially filled with water or sand for additional stability) and can be supplied with wheels so they can be easily moved. Panels can be customised in profile cut designs and shapes and corporate logos can be moulded into the base.

Meets NZ local authority requirements and council by-laws.

12-month guarantee.



Base Colours



GROUND SPIKE SIGNS

Does not distort or breakdown. Colour stable even in high UV areas. Sign and stand overall height 600mm.

Corflute sign to fit into stand is 450 x 300mm. Single or double sided.

Sign can be made to suit your specific requirements.



CLASSIC A FRAME STANDS

Lightweight robust plastic for long life and great stability. Hinge limiter ensures legs open to correct position. Can be customised to your specific needs.

Printed both sides. Approx 600mm high.









SAFETY FLOOR GRAPHICS

Ideal to increase awareness of hazards where wall mounting is not always practical.

The floor graphics are manufactured with a hard wearing clear overlaminate film with a textured anti-slip surface and should only be applied to clean, dry, smooth surfaces.

400 x 400 | SA

SEND US
YOUR TEXT
OR IMAGE
TO PUT
HERE

FLC - Custom



FGC – Custom



FG162



CLASSIC A FRAME STANDS

Heavyweight ACM panel with hinge. Can be single or double sided 600 x 800mm or made to your size and requirements.



TAPES & LABELS


NON REFLECTIVE AISLE MARKING TAPE

50mm x 33m



REFLECTIVE TAPE

45mm x 5m



KEEP CLEAR

BTKC

DANGER KEEP OUT



BTRA



BTYB





56

CONSPICUITY TAPE / REFLECTIVE-TAPE



- Sold per roll
- 50mm wide. 45 metre roll

HARD HAT LABELS

45 Diameter | SA





HHLFA

HHLERT



BARRICADE TAPE

Available in:

100mm x 100m

100mm x 300m Non-adhesive

Custom tape available with minimum order.



HHLVIS

HHLQFA





HHLSSI

HHLFW





HHLAFO

HHLCUSTOM

PIPEMARKER SIGNS

Pipe markers aid in the quick identification of a pipe's contents - especially in an emergency situation. A successful pipe identification program helps employees, contractors and emergency responders to distinguish between pipes where there are several side by side. Pipe markers also save valuable time when tracing lines is necessary during maintenance.

Where Should Pipe Markers be Located?

Pipe markers are to be placed adjacent to all junctions, valves, service appliances, bulkhead and wall penetrations. Markers shall be spaced no more than 5m apart except for long, uninterrupted straight runs of external services where spacing shall not exceed 50m.

Pipe Marker Design/Layout Requirements

A marker is comprised of a printed word or words on a coloured background with a contrasting border and arrow to show direction

Marker Colours

The legend and background colours of a pipe marker are determined by the pipe's contents.



PIPE400

450 x 60 | SA



PIPE300

350 x 50 | SA



OHS

ALCOHOL COLD OIL FUEL OIL FUEL OIL RECIRC


Manufactured to NZS 5807:1980 and AS1345:1995

SOLD IN PACKETS OF FIVE


To order, choose your size and product required. Below are some examples of products; however we can manufacture pipemarkers to your specific requirements.













FIRE FIGHTING WATER FIRE HOSE REEL FIRE SPHINKLERS MEDICAL DXYGEN MEDICAL SUCTION

SWING STAND SIGNS



SSAF-CSNR - NON REFLECTIVE

Approx 5kg A-Frame Sign Stand and custom printed single sided 800×600 ACM sign. Just tell us what you need printed when at the checkout.

Aluminium frame, easy to set up and folds down flat. Great for construction sites, footpaths, and anywhere else a temporary safety sign is required.



SSAF

Approx 5kg A-Frame Sign Stand to suit a 800 x 600mm sign (sold separately).

The stand has attachments so you can add a swinging sign. We can make any sign to order, including reflective for night time use.

Aluminium frame, easy to set up and folds down flat. Great for construction sites, footpaths, and anywhere else a temporary safety sign is required.



SSAF-CSNR - REFLECTIVE

Approx 5kg A-Frame Sign Stand and custom printed single sided 800 x 600 reflective ACM sign. Just tell us what you need printed when at the checkout.


Aluminium frame, easy to set up and folds down flat. Great for construction sites, footpaths, and anywhere else a temporary safety sign is required.

PEDESTRIAN SAFETY GATES



1m HIGH up to 5m WIDE EXPANDABLE BARRIER GATE EXPGATE 1 x 5

- 1 metre high gate that compacts down to 45cm and expands out to 5 metres (manual operation).
- Alternate red & white bars so the gate stands out.
- Powder coated aluminium.
- Lightweight but very effective in deterring unauthorised entry.
- Includes one end wheel and a middle wheel for extra stability and ease of use, plus brackets for anchoring to your walls etc.
- Simple manual operation slides out and back in with minimal effort.



1.8m HIGH up to 6m WIDE EXPANDABLE GATE EXPGATE 1.8 x 6

- Powder coated aluminium expandable barrier.
- 1.8 metre high gate that contracts to 53 cms and expands out to 6 metres wide (manual operation).
- $\bullet \quad \hbox{Alternate red \& white bars so the gate stands out.}\\$
- Sturdy build with wall mounts at each end and a centre wheel for easy retracting and expanding.
- Suitable for large warehouse and workshop entry doors.
- Very effective at managing one of your big workshop H&S risks – unauthorised visitors!





07 846 1080 | sales@safetygenius.co.nz
Unit 5, 21 Sharpe Road, Tamahere, Hamilton 3282 | PO Box 326, Waikato Mail Centre 3240
safetygenius.co.nz



Distributor www.arcweld.co.nz | sales@arcweld.co.nz | 0800 272 935